
Geregistreeerde Belgische norm

NBN EN 1998-6

1e uitg., oktober 2005

Normklasse: B 03

Eurocode 8: Ontwerp en berekening van aardbevingsbestendige constructies - Deel 6: Torens, masten en schoorstenen

Eurocode 8: Calcul des structures pour leur résistance aux séismes - Partie 6 : Tours, mâts et cheminées

Eurocode 8: Design of structures for earthquake resistance - Part 6: Towers, masts and chimneys

Toelating tot publicatie: 28 juli 2005

Vervangt NBN ENV 1998-3 (1997).

Deze Europese norm EN 1998-6:2005 heeft de status van een Belgische norm.

Deze Europese norm bestaat in drie officiële versies (Duits, Engels, Frans).

Deze norm mag in België slechts samen met zijn nationale bijlage (ANB) worden toegepast. Deze laatste legt hoofdzakelijk de waarden van de parameters vast die op nationaal vlak worden bepaald.

***norme belge
enregistrée***

NBN EN 1998-6

1e éd., octobre 2005

Indice de classement: B 03

**Eurocode 8: Calcul des structures pour leur résistance aux séismes -
Partie 6 : Tours, mâts et cheminées**

Eurocode 8: Ontwerp en berekening van aardbevingsbestendige constructies - Deel 6: Torens, masten en schoorstenen

Eurocode 8: Design of structures for earthquake resistance - Part 6: Towers, masts and chimneys

Autorisation de publication: 28 juillet 2005

Remplace NBN ENV 1998-3 (1997).

La présente norme européenne EN 1998-6:2005 a le statut d'une norme belge.

La présente norme européenne existe en trois versions officielles (allemand, anglais, français).

Cette norme ne peut être utilisée en Belgique qu'en combinaison avec son annexe nationale (ANB) qui fixe principalement la valeur des paramètres à déterminer au niveau national.



Bureau de Normalisation - Rue de Birmingham 131 - 1070 Bruxelles - Belgique
Tél: +32 2 738 01 12 - Fax: +32 2 733 42 64 - E-mail: info@nbn.be - NBN Online: www.nbn.be
Banque 000-3255621-10 IBAN BE41 0003 2556 2110 BIC BPOTBEB1 TVA BE0880857592

Nationaal voorwoord van NBN EN 1998-6:2005

1. De norm NBN EN 1998-6:2005 «Eurocode 8 – Ontwerp en berekening van aardbevingsbestendige constructies – Deel 6 : Torens, masten en schoorstenen» omvat de Nationale Bijlage NBN EN 1998-6 ANB:2011 met een normatief karakter in België. Hij vervangt vanaf de datum van de publicatie in het Belgisch Staatsbad van de bekrachtiging van de norm NBN EN 1998-6 ANB:2011 de volgende norm:

NBN ENV 1993-3 : 1997 «Eurocode 8 – Ontwerpbepalingen voor aardbevingsbeveiligend ontwerpen van draagsystemen – Deel 3: Torens, masten en schoorstenen »

2. De Europese normen (EN) waarnaar de tekst van deze norm met hun Engelse titel verwijst, dragen in België de volgende Nederlandstalige titels :

<u>vermelde norm (CEN)</u>	<u>Belgische norm (NBN)</u>	<u>Nederlandstalige titel bij het NBN</u>
EN 13084-2	NBN EN 13084-2:2007	Vrijstaande schoorstenen - Deel 2 : Betonnen schoorstenen
EN 13084-7	NBN EN 13084-7:2006	Vrijstaande schoorstenen - Deel 7: Productspecificaties voor cilindrische stalen constructies voor gebruik in enkelwandige stalen schoorstenen en stalen schoorsteenvoeringen

3. Aanvullende opmerking van het NBN: tot hier toe zijn er nog geen ontwerpen van corrigenda over deze norm bij het CEN gepubliceerd.

Avant-propos national à la NBN EN 1998-6:2005

1. La norme NBN EN 1998-6:2005 – «Eurocode 8 - Calcul des structures pour leur résistance aux séismes – Partie 6 : Tours, mâts et cheminées» comprend l'Annexe Nationale NBN EN 1998-6 ANB:2011 qui a un caractère normatif en Belgique. Elle remplace à partir de la date de publication au Moniteur Belge de l'homologation de la norme NBN 1998-6 ANB :2011 la norme suivante :

NBN ENV 1998-3:1997 «Eurocode 8 – Conception et dimensionnement des structures pour la résistance aux séismes – Partie 3 : Tours, mâts et cheminées»

2. La version de langue française de l'EN 1998-6 a été rédigée en France par l'AFNOR. En conséquence, on y rencontre certaines expressions d'usage moins courant en Belgique.

Une liste de termes équivalents est donnée ci-après :

Terme de l'EN 1998-6	Terme équivalent en Belgique
poteau client	colonne le maître de l'ouvrage assisté de ses bureaux d'architectes, d'ingénierie et de consultance

3. Note complémentaire de la NBN : à ce jour, il n'y a aucun projet de correctif relatif à cette norme publié par le CEN.

English version

Eurocode 8: Design of structures for earthquake resistance - Part 6: Towers, masts and chimneys

Eurocode 8: Calcul des structures pour leur résistance aux
séismes - Partie 6 : Tours, mâts et cheminées

Eurocode 8: Auslegung von Bauwerken gegen Erdbeben -
Teil 6: Türme, Maste und Schornsteine

This European Standard was approved by CEN on 25 April 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

1	GENERAL	8
1.1	SCOPE	8
1.2	REFERENCES	8
1.3	ASSUMPTIONS	9
1.4	DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES	9
1.5	TERMS AND DEFINITIONS	10
1.5.1	<i>Special terms used in EN 1998-6</i>	10
1.6	SYMBOLS	10
1.6.1	<i>General</i>	10
1.6.2	<i>Further symbols used in EN 1998-6</i>	10
1.7	S.I. UNITS	11
2	PERFORMANCE REQUIREMENTS AND COMPLIANCE CRITERIA	12
2.1	FUNDAMENTAL REQUIREMENTS	12
2.2	COMPLIANCE CRITERIA	12
2.2.1	<i>Foundation</i>	12
2.2.2	<i>Ultimate limit state</i>	12
2.2.3	<i>Damage limitation state</i>	12
3	SEISMIC ACTION	13
3.1	DEFINITION OF THE SEISMIC INPUT	13
3.2	ELASTIC RESPONSE SPECTRUM	13
3.3	DESIGN RESPONSE SPECTRUM	13
3.4	TIME-HISTORY REPRESENTATION	13
3.5	LONG PERIOD COMPONENTS OF THE MOTION AT A POINT	13
3.6	GROUND MOTION COMPONENTS	14
4	DESIGN OF EARTHQUAKE RESISTANT TOWERS, MASTS AND CHIMNEYS	15
4.1	IMPORTANCE CLASSES AND IMPORTANCE FACTORS	15
4.2	MODELLING RULES AND ASSUMPTIONS	15
4.2.1	<i>Number of degrees of freedom</i>	15
4.2.2	<i>Masses</i>	16
4.2.3	<i>Stiffness</i>	16
4.2.4	<i>Damping</i>	17
4.2.5	<i>Soil-structure interaction</i>	17
4.3	METHODS OF ANALYSIS	18
4.3.1	<i>Applicable methods</i>	18
4.3.2	<i>Lateral force method</i>	18
4.3.2.1	General	18
4.3.2.2	Seismic forces	19
4.3.3	<i>Modal response spectrum analysis</i>	19
4.3.3.1	General	19
4.3.3.2	Number of modes	19
4.3.3.3	Combination of modes	19
4.4	COMBINATIONS OF THE EFFECTS OF THE COMPONENTS OF THE SEISMIC ACTION	20
4.5	COMBINATIONS OF THE SEISMIC ACTION WITH OTHER ACTIONS	20
4.6	DISPLACEMENTS	20
4.7	SAFETY VERIFICATIONS	20
4.7.1	<i>Ultimate limit state</i>	20
4.7.2	<i>Resistance condition of the structural elements</i>	20

4.7.3	<i>Second order effects</i>	21
4.7.4	<i>Resistance of connections</i>	21
4.7.5	<i>Stability</i>	21
4.7.6	<i>Ductility and energy dissipation condition</i>	22
4.7.7	<i>Foundations</i>	22
4.7.8	<i>Guys and fittings</i>	22
4.8	THERMAL EFFECTS	22
4.9	DAMAGE LIMITATION STATE	22
4.10	BEHAVIOUR FACTOR	23
4.10.1	<i>General</i>	23
4.10.2	<i>Values of modification factor k_r</i>	23
5	SPECIFIC RULES FOR REINFORCED CONCRETE CHIMNEYS	25
5.1	SCOPE	25
5.2	DESIGN FOR DISSIPATIVE BEHAVIOUR	25
5.3	DETAILING OF THE REINFORCEMENT	26
5.3.1	<i>Minimum reinforcement (vertical and horizontal)</i>	26
5.3.2	<i>Minimum reinforcement around openings</i>	27
5.4	SPECIAL RULES FOR ANALYSIS AND DESIGN	27
5.5	DAMAGE LIMITATION STATE	28
6	SPECIAL RULES FOR STEEL CHIMNEYS	29
6.1	DESIGN FOR DISSIPATIVE BEHAVIOUR	29
6.2	MATERIALS	29
6.2.1	<i>General</i>	29
6.2.2	<i>Mechanical properties for structural carbon steels</i>	30
6.2.3	<i>Mechanical properties of stainless steels</i>	30
6.2.4	<i>Connections</i>	30
6.3	DAMAGE LIMITATION STATE	30
6.4	ULTIMATE LIMIT STATE	30
7	SPECIAL RULES FOR STEEL TOWERS	31
7.1	SCOPE	31
7.2	DESIGN FOR DISSIPATIVE BEHAVIOUR	31
7.3	MATERIALS	31
7.4	DESIGN OF TOWERS WITH CONCENTRIC BRACINGS	31
7.5	SPECIAL RULES FOR THE DESIGN OF ELECTRICAL TRANSMISSION TOWERS	32
7.6	DAMAGE LIMITATION STATE	32
7.7	OTHER SPECIAL DESIGN RULES	34
8	SPECIAL RULES FOR GUYED MASTS	35
8.1	SCOPE	35
8.2	SPECIAL ANALYSIS AND DESIGN REQUIREMENTS	35
8.3	MATERIALS	35
8.4	DAMAGE LIMITATION STATE	36

FOREWORD

This European Standard EN 1998-6, Eurocode 8: Design of structures for earthquake resistance: Towers, masts and chimneys, has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI. CEN/TC 250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2005 and conflicting national standards shall be withdrawn at latest by March 2010.

This document supersedes ENV 1998-3:1996.

According to the CEN-CENELEC Internal Regulations, the National Standard Organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980s.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links *de facto* the Eurocodes with the provisions of all the Council’s Directives and/or Commission’s Decisions dealing with European standards (*e.g.* the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990 Eurocode: Basis of structural design

EN 1991 Eurocode 1: Actions on structures

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

- EN 1992 Eurocode 2: Design of concrete structures
- EN 1993 Eurocode 3: Design of steel structures
- EN 1994 Eurocode 4: Design of composite steel and concrete structures
- EN 1995 Eurocode 5: Design of timber structures
- EN 1996 Eurocode 6: Design of masonry structures
- EN 1997 Eurocode 7: Geotechnical design
- EN 1998 Eurocode 8: Design of structures for earthquake resistance
- EN 1999 Eurocode 9: Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 – Mechanical resistance and stability – and Essential Requirement N°2 – Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

² According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents shall:

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary ;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, *e.g.* methods of calculation and of proof, technical rules for project design, etc. ;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National annex.

The National annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e:

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic, etc.), e.g. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode.

It may also contain

- decisions on the use of informative annexes, and
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and harmonised technical specifications (ENs and ETAs) for products

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1998-6

For the design of structures in seismic regions the provisions of this standard are to be applied in addition to the provisions of the other relevant Eurocodes. In particular, the provisions of the present standard complement those of Eurocode 3, Part 3-1 " Towers and Masts " and Part 3-2 " Chimneys", which do not cover the special requirements for seismic design.

National annex for EN 1998-6

Notes indicate where national choices have to be made. The National Standard implementing EN 1998-6 shall have a National annex containing values for all Nationally Determined Parameters to be used for the design in the country. National choice is required in the following sections.

⁴ see Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

Reference section	Item
1.1(2)	Informative Annexes A, B, C, D, E and F.
3.1(1)	Conditions under which the rotational component of the ground motion should be taken into account.
3.5(2)	The lower bound factor β on design spectral values, if site-specific studies have been carried out with particular reference to the long-period content of the seismic action.
4.1(5)P	Importance factors for masts, towers, and chimneys.
4.3.2.1(2)	Detailed conditions, supplementing those in 4.3.2.1(2), for the lateral force method of analysis to be applied.
4.7.2(1)P	Partial factors for materials
4.9(4)	Reduction factor ν for displacements at damage limitation limit state

1 GENERAL

1.1 Scope

(1) The scope of Eurocode 8 is defined in EN 1998-1:2004, **1.1.1** and the scope of this Standard is defined in **(2)** to **(4)**. Additional parts of Eurocode 8 are indicated in EN 1998-1:2004, **1.1.3**.

(2) EN 1998-6 establishes requirements, criteria, and rules for the design of tall slender structures: towers, including bell-towers, intake towers, radio and TV-towers, masts, chimneys (including free-standing industrial chimneys) and lighthouses. Additional provisions specific to reinforced concrete and to steel chimneys are given in Sections **5** and **6**, respectively. Additional provisions specific to steel towers and to steel guyed masts are given in Sections **7** and **8**, respectively. Requirements are also given for non-structural elements, such as antennae, the liner material of chimneys and other equipment.

NOTE 1 Informative Annex A provides guidance and information for linear dynamic analysis accounting for rotational components of the ground motion.

NOTE 2 Informative Annex B provides information and guidance on modal damping in modal response spectrum analysis.

NOTE 3 Informative Annex C provides information on soil-structure interaction and guidance for accounting for it in linear dynamic analysis.

NOTE 4 Informative Annex D provides supplementary information and guidance on the number of degrees of freedom and the number of modes of vibration to be taken into account in the analysis.

NOTE 5 Informative Annex E gives information and guidance for the seismic design of Masonry chimneys.

NOTE 6 Informative Annex F gives supplementary information for the seismic performance and design of electrical transmission towers.

(3) The present provisions do not apply to cooling towers and offshore structures.

(4) For towers supporting tanks, EN 1998-4 applies.

1.2 Normative References

1.2.1 Use

(1)P This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

1.2.2 General reference standards

(1) EN 1998-1:2004, **1.2.1** applies.