

Geregistreeerde Belgische norm

NBN EN 1993-3-1

2e uitg., mei 2007

Normklasse: B 51

Eurocode 3 - Ontwerp en berekening van staalconstructies - Deel 3-1: Torens, masten en schoorstenen - Torens en masten (+ AC:2009)

Eurocode 3 - Calcul des structures en acier - Partie 3-1: Tours, mâts et cheminées - Pylônes et mâts haubanés (+ AC:2009)

Eurocode 3 - Design of steel structures - Part 3-1: Towers, masts and chimneys - Towers and masts (+ AC:2009)

Toelating tot publicatie: 19 december 2006

Vervangt NBN ENV 1993-3-1 (1998).

Deze Europese norm EN 1993-3-1:2006 heeft de status van een Belgische norm.

Deze Europese norm bestaat in drie officiële versies (Duits, Engels, Frans).

Er is bij het NBN ook een Nederlandstalige versie beschikbaar, die dezelfde status heeft als de officiële versies.

Deze norm mag in België slechts samen met zijn nationale bijlage (ANB) worden toegepast. Deze laatste legt hoofdzakelijk de waarden van de parameters vast die op nationaal vlak worden bepaald.



Bureau voor Normalisatie - Birminghamstraat 131 - 1070 Brussel - België

Tel: +32 2 738 01 12 - Fax: +32 2 733 42 64 - E-mail: info@nbn.be - NBN Online: www.nbn.be
Bank 000-3255621-10 IBAN BE41 0003 2556 2110 BIC BPOTBEB1 BTW BE0880857592

***norme belge
enregistrée***

NBN EN 1993-3-1

2e éd., mai 2007

Indice de classement: B 51

Eurocode 3 - Calcul des structures en acier - Partie 3-1: Tours, mâts et cheminées - Pylônes et mâts haubanés (+ AC:2009)

Eurocode 3 - Ontwerp en berekening van staalconstructies - Deel 3-1: Torens, masten en schoorstenen - Torens en masten (+ AC:2009)

Eurocode 3 - Design of steel structures - Part 3-1: Towers, masts and chimneys - Towers and masts (+ AC:2009)

Autorisation de publication: 19 décembre 2006

Remplace NBN ENV 1993-3-1 (1998).

La présente norme européenne EN 1993-3-1:2006 a le statut d'une norme belge.

La présente norme européenne existe en trois versions officielles (allemand, anglais, français).

Une version en néerlandais, ayant le même statut que les versions officielles, est également disponible au NBN.

Cette norme ne peut être utilisée en Belgique qu'en combinaison avec son annexe nationale (ANB) qui fixe principalement la valeur des paramètres à déterminer au niveau national.



Bureau de Normalisation - Rue de Birmingham 131 - 1070 Bruxelles - Belgique

Tél: +32 2 738 01 12 - Fax: +32 2 733 42 64 - E-mail: info@nbn.be - NBN Online: www.nbn.be

Banque 000-3255621-10 IBAN BE41 0003 2556 2110 BIC BPOTBEB1 TVA BE0880857592

NATIONAAL VOORWOORD VAN NBN EN 1993-3-1:2007

1. De norm NBN EN 1993-3-1:2007 «Eurocode 3 – Ontwerp en berekening van staalconstructies – Deel 3-1: Torens, masten en schoorstenen – Torens en masten» omvat de nationale bijlage NBN EN 1993-3-1 ANB:2011 met een normatief karakter in België. Hij vervangt vanaf de datum van de publicatie in het Belgische Staatsblad van de bekrachtiging van de norm NBN EN 1993-3-1 ANB:2011 de volgende norm:

NBN ENV 1993-3-1:1998 Eurocode 3 – Ontwerp van stalen draagsystemen -
Deel 3-1: Torens, masten en schoorstenen –
Torens en masten".

Het corrigendum EN 1993-3-1:2006/AC:2009, zoals door CEN gepubliceerd, is na deze norm toegevoegd.

2. De Europese normen (EN) waarnaar de tekst van deze norm met hun Engelse titel verwijst, dragen in België de volgende Nederlandstalige titels:

Vermelde norm	Nederlandstalige titel (NBN)
EN 40 Lighting columns	NBN EN 40 Lichtmasten
EN 365 Personal protective equipment against falls from a height. General requirements for instructions for use, maintenance, periodic examination, repair, marking and packaging	NBN EN 365 Persoonlijke beschermingsmiddelen voor bescherming tegen vallen - Algemene eisen voor gebruiksaanwijzingen, onderhoud, periodiek onderzoek, herstelling, merken en verpakking
EN 795 Protection against falls from a height. Anchor devices. Requirements and testing	NBN EN 795 Persoonlijke beschermingsmiddelen tegen vallen - Verankeringsvoorzieningen - Eisen en beproeving
EN 1090 Execution of steel structures and aluminium structures	NBN EN 1090 Het vervaardigen van staal- en aluminiumconstructies
EN ISO 1461 Hot dip galvanized coatings on fabricated iron and steel articles. Specifications and test methods	NBN EN ISO 1461 Door thermisch verzinken aangebrachte deklagen op ijzeren en stalen voorwerpen - Specificaties

EN ISO 14713 Protection against corrosion of iron and steel in structures. Zinc and aluminium coatings. Guidelines	NBN EN ISO 14713 Bescherming van ijzer en staal in constructies tegen corrosie - Deklagen van zink en aluminium - Leidraden
EN ISO 12944 Corrosion protection of steel structures by protective paint systems	NBN EN ISO 12944 Verven en vernissen - Corrosiebescherming van staalconstructies door beschermende verfsystemen

AVANT-PROPOS NATIONAL À LA NBN EN 1993-3-1:2007

1. La norme NBN EN 1993-3-1:2007 "Eurocode 3 – Calcul des structures en acier - Partie 3-1 : Tours, mâts et cheminées - Pylônes et mâts haubanés" comprend l'annexe nationale NBN EN 1993-3-1 ANB:2011 qui a un caractère normatif en Belgique. Elle remplace à partir de la date de publication au Moniteur Belge de l'homologation de la norme NBN EN 1993-3-1 ANB:2011 la norme suivante:

NBN ENV 1993-3-1:1998 Eurocode 3 - Calcul des structures en acier –
Partie 3-1 : Tours, mâts et cheminées - Pylônes
et mâts haubanés".

Le corrigendum EN 1993-3-1 :2006/AC:2009, tel que publié par le CEN, est joint à cette norme.

2. La version en langue française de l'EN 1993-3-1:2006 a été rédigée en France par l'AFNOR.
En conséquence, on y rencontre certaines expressions d'usage moins courant en Belgique.

Une liste de termes équivalents est donnée ci-après :

Terme de l'EN 1993-3-1	Terme équivalent en Belgique
Client	Le maître de l'ouvrage assisté de ses bureaux d'architectes, d'ingénierie et de consultance
Attache	Assemblage

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 1993-3-1

October 2006

ICS 91.010.30; 91.080.10

Supersedes ENV 1993-3-1:1997

English Version

**Eurocode 3 - Design of steel structures - Part 3-1: Towers,
masts and chimneys - Towers and masts**

Eurocode 3 - Calcul des structures en acier - Partie 3-1:
Tours, mâts et cheminées - Pylônes et mâts haubannés

Eurocode 3 - Bemessung und Konstruktion von
Stahlbauten - Teil 3-1: Türme, Maste und Schornsteine -
Türme und Maste

This European Standard was approved by CEN on 9 January 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

1	General	9
1.1	Scope	9
1.2	Normative references	9
1.3	Assumptions	10
1.4	Distinction between principles and application rules	10
1.5	Terms and definitions	10
1.6	Symbols	11
1.7	Convention for cross section axes	12
2	Basis of design	13
2.1	Requirements	13
2.2	Principles of limit state design	14
2.3	Actions and environmental influences	14
2.4	Ultimate limit state verifications	15
2.5	Design assisted by testing	15
2.6	Durability	15
3	Materials	16
3.1	Structural steel	16
3.2	Connections	16
3.3	Guys and fittings	16
4	Durability	16
4.1	Allowance for corrosion	16
4.2	Guys	16
5	Structural analysis	17
5.1	Modelling for determining action effects	17
5.2	Modelling of connections	17
6	Ultimate limit states	18
6.1	General	18
6.2	Resistance of cross sections	18
6.3	Resistance of members	18
6.4	Connections	20
6.5	Special connections for masts	21
7	Serviceability limit states	23
7.1	Basis	23
7.2	Deflections and rotations	23
7.3	Vibrations	23
8	Design assisted by testing	24
9	Fatigue	24
9.1	General	24
9.2	Fatigue loading	24
9.3	Fatigue resistance	25
9.4	Safety assessment	25
9.5	Partial factors for fatigue	25
9.6	Fatigue of guys	25
Annex A [normative] – Reliability differentiation and partial factors for actions		26
A.1	Reliability differentiation for masts and towers	26

A.2	Partial factors for actions.....	26
Annex B	[informative] – Modelling of meteorological actions	27
B.1	General	27
B.2	Wind force.....	28
B.3	Response of lattice towers.....	40
B.4	Response of guyed masts	45
Annex C	[informative] – Ice loading and combinations of ice with wind.....	53
C.1	General	53
C.2	Ice loading.....	53
C.3	Ice weight.....	54
C.4	Wind and ice	54
C.5	Asymmetric ice load	54
C.6	Combinations of ice and wind.....	55
Annex D	[normative] – Guys, dampers, insulators, ancillaries and other items	56
D.1	Guys	56
D.2	Dampers	56
D.3	Insulators.....	57
D.4	Ancillaries and other items.....	57
Annex E	[informative] – Guy rupture	59
E.1	Introduction.....	59
E.2	Simplified analytical model	59
E.3	Conservative procedure.....	60
E.4	Analysis after a guy rupture	61
Annex F	[informative] – Execution.....	62
F.1	General	62
F.2	Bolted connections	62
F.3	Welded connections	62
F.4	Tolerances	62
F.5	Prestretching of guys.....	63
Annex G	[informative] – Buckling of components of masts and towers.....	64
G.1	Buckling resistance of compression members	64
G.2	Effective slenderness factor k	64
Annex H	[informative] – Buckling length and slenderness of members	70
H.1	General	70
H.2	Leg members.....	70
H.3	Bracing members	71
H.4	Secondary bracing members	78
H.5	Shell structures	79

Foreword

This European Standard EN 1993-3-1, Eurocode 3: Design of steel structures: Part 3.1: Towers, masts and chimneys – Towers and masts, has been prepared by Technical Committee CEN/TC250 «Structural Eurocodes», the Secretariat of which is held by BSI. CEN/TC250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by April 2007 and conflicting National Standards shall be withdrawn at latest by March 2010.

This Eurocode supersedes ENV 1993-3-1.

According to the CEN-CENELEC Internal Regulations, the National Standard Organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the national rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980s.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links *de facto* the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products – CPD – and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN 1990	Eurocode 0:	Basis of structural design
EN 1991	Eurocode 1:	Actions on structures
EN 1992	Eurocode 2:	Design of concrete structures
EN 1993	Eurocode 3:	Design of steel structures
EN 1994	Eurocode 4:	Design of composite steel and concrete structures
EN 1995	Eurocode 5:	Design of timber structures
EN 1996	Eurocode 6:	Design of masonry structures
EN 1997	Eurocode 7:	Geotechnical design

¹ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

EN 1998 Eurocode 8: Design of structures for earthquake resistance

EN 1999 Eurocode 9: Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that Eurocodes serve as reference documents for the following purposes :

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 - Mechanical resistance and stability - and Essential Requirement N°2 - Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents² referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standard³. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving a full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National annex (informative).

The National Annex (informative) may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e. :

- values for partial factors and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- geographical and climatic data specific to the Member State, e.g. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

² According to Art. 3.3 of the CPD, the essential requirements (ERs) should be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for hENs and ETAGs/ETAs.

³ According to Art. 12 of the CPD the interpretative documents should :

- a) give concrete form to the essential requirements by harmonising the terminology and the technical bases and indicating classes or levels for each requirement where necessary ;
- b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc. ;
- c) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, *de facto*, play a similar role in the field of the ER 1 and a part of ER 2.

Links between Eurocodes and product harmonized technical specifications (ENs and ETAs)

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴. Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes should clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1993-3-1 and EN 1993-3-2

EN 1993-3 is the third part of six parts of EN 1993 - Design of Steel Structures - and describes the principles and application rules for the safety and serviceability and durability of steel structures for towers and masts and chimneys. Towers and masts are dealt with in Part 3-1; chimneys are treated in Part 3-2.

EN 1993-3 gives design rules in supplement to the generic rules in EN 1993-1.

EN 1993-3 is intended to be used with Eurocodes EN 1990 - Basis of design, EN 1991 - Actions on structures and the parts 1 of EN 1992 to EN 1998 when steel structures or steel components for towers and masts and chimneys are referred to.

Matters that are already covered in those documents are not repeated.

EN 1993-3 is intended for use by

- committees drafting design related product, testing and execution standards;
- clients (e.g. for the formulation of their specific requirements);
- designers and constructors;
- relevant authorities.

Numerical values for partial factors and other reliability parameters in EN 1993-3 are recommended as basic values that provide an acceptable level of reliability. They have been selected assuming that an appropriate level of workmanship and quality management applies.

Annex B of EN 1993-3-1 has been prepared to supplement the provisions of EN 1991-1-4 in respect of wind actions on lattice towers and guyed masts or guyed chimneys.

As far as overhead line towers are concerned all matters related to wind and ice loading, loading combinations, safety matters and special requirements (such as for conductors, insulators, clearance, etc.) are covered by the CENELEC Code EN 50341, that can be referred to for the design of such structures.

The strength requirements for steel members given in this Part may be considered as 'deemed to satisfy', rules to meet the requirements of EN 50341 for overhead line towers, and may be used as alternative criteria to the rules given in that Standard.

Part 3.2 has been prepared in collaboration with Technical Committee CEN/TC 297: Free standing chimneys.

Provisions have been included to allow for the possible use of a different partial factor for resistance in the case of those structures or elements the design of which has been the subject of an agreed type testing programme.

⁴ See Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

National Annex for EN 1993-3-1

This standard gives alternative procedures, values and recommendations for classes with notes indicating where national choices may have to be made. Therefore the National Standard implementing EN 1993-3-1 should have a National Annex containing all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

National choice is allowed in EN 1993-3-1 through paragraphs:

- 2.1.1(3)P
- 2.3.1(1)
- 2.3.2(1)
- 2.3.6(2)
- 2.3.7(1)
- 2.3.7(4)
- 2.5(1)
- 2.6(1)
- 4.1(1)
- 4.2(1)
- 5.1(6)
- 5.2.4(1)
- 6.1(1)
- 6.3.1(1)
- 6.4.1(1)
- 6.4.2(2)
- 6.5.1(1)
- 7.1(1)
- 9.5(1)
- A.1(1)
- A.2(1)P (2 places)
- B.1.1(1)
- B.2.1.1(5)
- B.2.3(1)
- B.2.3(3)
- B.3.2.2.6(4)
- B.3.3(1)
- B.3.3(2)
- B.4.3.2.2(2)
- B.4.3.2.3(1)
- B.4.3.2.8.1(4)
- C.2(1)
- C.6.(1)
- D.1.1(1)
- D.1.2(2)
- D.3(6) (2 places)

EN 1993-3-1:2006 (E)

- D.4.1(1)
- D.4.2(3)
- D.4.3(1)
- D.4.4(1)
- F.4.2.1(1)
- F.4.2.2(2)
- G.1(3)
- H.2(5)
- H.2(7)

1 General

1.1 Scope

1.1.1 Scope of Eurocode 3

See 1.1.1 of EN 1993-1-1.

1.1.2 Scope of Part 3.1 of Eurocode 3

- (1) This Part 3.1 of EN 1993 applies to the structural design of lattice towers and guyed masts and to the structural design of this type of structures supporting prismatic, cylindrical or other bluff elements. Provisions for self-supporting and guyed cylindrical towers and chimneys are given in Part 3.2 of EN 1993. Provisions for the guys of guyed structures, including guyed chimneys, are given in EN 1993-1-11 and supplemented in this Part.
- (2) The provisions in this Part of EN 1993 supplement those given in Part 1.
- (3) Where the applicability of a provision is limited, for practical reasons or due to simplifications, its use is explained and the limits of applicability are stated.
- (4) This Part does not cover the design of polygonal and circular lighting columns, which is covered in EN 40. Lattice polygonal towers are not covered in this Part. Polygonal plated columns (monopoles) may be designed using this Part for their loading. Information on the strength of such columns may be obtained from EN 40.
- (5) This Part does not cover special provisions for seismic design, which are given in EN 1998-3.
- (6) Special measures that might be necessary to limit the consequences of accidents are not covered in this Part. For resistance to fire, reference should be made to EN 1993-1-2.
- (7) For the execution of steel towers and masts, reference should be made to EN 1090.

NOTE: Execution is covered to the extent that is necessary to indicate the quality of the construction materials and products that should be used and the standard of workmanship on site needed to comply with the assumptions of the design rules.

1.2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this European Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this European Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies.

EN 40	<i>Lighting columns</i>
EN 365	<i>Personal protective equipment against falls from a height. General requirements for instructions for use, maintenance, periodic examination, repair, marking and packaging</i>
EN 795	<i>Protection against falls from a height. Anchor devices. Requirements and testing</i>
EN 1090	<i>Execution of steel structures and aluminium structures</i>
EN ISO 1461	<i>Hot dip galvanized coatings on fabricated iron and steel articles. Specifications and test methods</i>
EN ISO 14713	<i>Protection against corrosion of iron and steel in structures. Zinc and aluminium coatings. Guidelines</i>
ISO 12494	<i>Atmospheric icing of structures</i>
EN ISO 12944	<i>Corrosion protection of steel structures by protective paint systems.</i>